

1061 Transport Drive, Valparaiso, IN 46383 Toll Free 888.323.4445 • P 219.465.7671 F 219.531.0898 • www.elitecrete.com

PI.025 - Product List

Revised: 11.17.09 - Effective 11.17.09

READ FIRST: Elite Crete Systems takes a completely different approach to the development and engineering of our products in order to provide the highest quality, durability and cost effective product line available. Too often times, contractors not familiar with our products try to focus solely on product package cost rather than the ever important material cost per square foot installed. Pl.068 – QUICK NOTES: Product Coverage Chart for detailed explanations about the cost savings our products provide compared to other product lines.

Product Description	Packaging	Product Code
THIN-FINISH™ Pre-Mixed Overlay: (Just add water – The polymer and additional additives are already in the bag)	55 lb. bag	TNFN
A high strength, cementitious topping material designed for resurfacing, overlaying, texturing and repairing concrete floors and surfaces. THIN-FINISH™ is a "just add water" overlay mix for: Skim coats and bond coats for decorative concrete resurfacing and overlays. Broom finish repair. Surface repair coats. Splatter texture and knockdown finishes. Slate trowel finishes. Advantages: "Just add water" overlay means no guessing. No incorrect mix designs, increased long term performance and increased product coverage. Precisely engineered mix design – contains the exact polymer ratio, cement, aggregate size, aggregate shape, aggregate composition and other supplemental ingredients to ensure high performance, ease of use and product consistency. Sold as White base but can be custom colored with Portion Control Colorants™ or SYPP™ Colorant to achieve over 36 colors. Can also be stained with CHEM-STONE™ Reactive Stain, ULTRA-STONE™ Antiquing Stain or HYDRA-STONE™ Dye Stain for additional highlighting effects. Ease of application. Coverage: Skim coats & base coats - over 250 sq. ft. per bag. Less than \$0.18 per sq. ft. Splatter textures & knockdowns - over 175 sq. ft. per bag. Less than \$0.25 per sq. ft.	56 bags per pallet 14 pallets per truck or container	
TEXTURE-PAVE™ Pre-Mixed Overlay: (Just add water – The polymer and additional additives are already in the bag)) A high strength, cementitious topping material designed for resurfacing, overlaying, texturing and repairing concrete floors and surfaces. TEXTURE-PAVE™ is a "just add water" overlay mix for: • Thin stamped overlays. • Concrete counter tops. • Pre-cast concrete. • Repair, patching and regrading. Advantages: • "Just add water" overlay means no guessing. No incorrect mix designs, increased long term performance and increased product coverage. • Precisely engineered mix design – contains the exact polymer ratio, cement and aggregate size, aggregate shape, aggregate composition and other supplemental ingredients to ensure high performance, ease of use and product consistency. • Sold as White base but can be custom colored with Portion Control Colorants™ or SYPP™ Colorant o achieve over 36 colors. Can also be stained with CHEM-STONE™ Reactive Stain, ULTRA-STONE™ Antiquing Stain or HYDRA-STONE™ Dye Stain for additional highlighting effects. • Ease of application. • Coverage:	55 lb. bag. 56 bags per pallet 14 pallets per truck or container	TXPV



1061 Transport Drive, Valparaiso, IN 46383 Toll Free 888.323.4445 ● P 219.465.7671 F 219.531.0898 • www.elitecrete.com

	F 219.531.0898 •	www.elitecrete.com
MICRO-FINISH™ Pre-Mixed Overlay: (Just add water – The polymer and additional additives are already in the bag)	30 lb. bag	MIFI
A high strength, cementitious material designed for creating an extremely smooth finish to the top of THIN-FINISH™. MICRO-FINISH™ is a "just add water" overlay mix for creating smooth finishes on concrete surfaces, floors and walls.	56 bags per pallet	
 Advantages: "Just add water" overlay means no guessing. No incorrect mix designs, increased long term performance and increased product coverage. Precisely engineered mix design – contains the exact polymer ratio, cement and aggregate size, aggregate shape, aggregate composition and other supplemental ingredients to ensure high performance, ease of use and product consistency. Create a smooth finish like that of a hard troweled surface with very little effort or time. Cost is just a fraction of self-leveling type overlays. Ideal for creating a uniform surface color when discoloration is present prior to staining. Sold as White base but can be custom colored with Portion Control Colorants™ or SYPP Colorant to 		
achieve over 36 colors. Can also be stained with CHEM-STONE™ Reactive Stain or HYDRA-STONE™ Dye Stain for additional highlighting effects. • Coverage: 250 sq. ft. to 300 sq. ft. per bag. Less than \$0.14 per sq. ft.		
CSS EMULSION™:	1 gal. cans	CSS
A 53% solid, concentrated, clear, methyl-methacrylate (MMA) laced acrylic sealer that must be diluted prior to use. As an example: 3 parts approved solvent to 1 part CSS Sealer Emulsion for cure & seal applications, 2:1 for	5 gal. pails	
sealing thin stamped overlays & stamped concrete applications and 1:1 for sealing splatter textures and flooring. A convenient dilution chart is available to show the various options of dilution.	36, 5 gal. pails per pallet	
 Advantages: Due to the concentration, CSS Sealer Emulsion is the most versatile sealer available in all of the industry. Multiple types of solvents may be used to dilute depending on VOC restrictions. Also available in low VOC version. See CSS-V Emulsion MMA content great increases durability compared to conventional solvent borne acrylic sealers. Extremely cost effective compared to other conventional solvent borne acrylic sealers. Example: 1 pail diluted with 10 gallons of Xylene or Lacquer Thinner produces 15 gallons of sealer. That is less than \$0.10 per sq. ft. 	55 gal. drums 4, 55 gal. drums per pallet	
WCS EMULSION™:	1 gal. bottles	wcs
Waterborne Concrete Sealer. A 37% solid, acrylic clear sealer. Unlike conventional waterborne sealers, WCS 2.0 uses a water soluble solvent to carrier a higher solids content, increase color intensity, depth of penetration and overall performance.	4, 1 gal. bottles per case	
orotali portornance.	5 gal. pails	
	36, 5 gal. pails per pallet	
ULTRA-STONE™ Antiquing Stain:	1 gal. bottles	UCS
A safe, easy to use, penetrating concentrated stain designed for coloring and highlighting textured cementitious overlays. The coloring effect is not that of an opaque paint but rather an "antiquing, natural and translucent" variable coloring. User must dilute and color the stain before use. Sold as a neutral base and easily colored with	4, 1 gal. bottles per case	
PORTION CONTROL COLORANTS™ or SYPP™ colorants for a wide array of colors.	5 gal. pails	
 Advantages: Concentrated to decrease cost and save money. Sold as a neutral base with easy to read coloring instructions to obtain 36 different colors. Must be diluted prior to use. 	36, 5 gal. pails per pallet	
 Using just one color of PCC will create multi hued finishes with just one application. Ideal for thin stamped overlays, slate trowel downs and even splatter textures and knockdown finishes. You cannot achieve a similar look with any other product on the market as easily 		



1061 Transport Drive, Valparaiso, IN 46383 Toll Free 888.323.4445 ● P 219.465.7671 F 219.531.0898 • www.elitecrete.com

	F 219.531.0898 •	www.elitecrete.com
CHEM-STONE™ Reactive Stain:	1 gal. bottles	ACS
A permanent stain that reacts chemically with concrete and polymer concrete overlays to add an antique coloring effect. Sold in 8 standard colors. Antique Red, Antique Gold, Antique Brown, Antique Tan, Antique Umber, Antique Blue, Antique Black and Antique Green.	4, 1 gal. bottles per case	
	5 gal. pails	
 Advantages: Creates natural looking color variations that are unique to each and every application. Can be used on conventional concrete and cementitious overlays. Will not peel, chip or flake off. Ideal for any type of concrete. 	36, 5 gal. pails per pallet	
CHEM-STONE™ Reactive Stain Sample Pack:	8, 4 ounce	ACS - Sample
Sample pack contains one 4 ounce bottle of all 8 colors. This kit is ideal for making sample boards or testing the various colors and reduction levels. Because CHEM-STONE Reactive Stain is corrosive, this kit must ship via truck.	bottles per box	
HYDRA-STONE™ Dye Stain:	1 quart bottles	HSDS
A highly concentrated, metal complex dye used for coloring polymer modified overlay systems and concrete. Available in 20 base colors that can be used full strength or diluted to achieve even more color effects. Dilution is achieved with HYDRA-STONE™ Reducer for varied colors.	4, 1 quart bottles per case	
Advantages:	1 gal. bottles	
Instantaneous color determination.No rinsing or washing required before sealing like with acid based stains.	4, 1 gal. bottles per case	
 Virtually unlimited colors to choose from. Powder Packs available upon request for emergency expedited needs 	5 gal. pails	
	36, 5 gal. pails per pallet	
	<u> </u>	
HYDRA-STONE™ Dye Stain Sample Pack:	24, 4 ounce bottles per case	HSDS - Sample
Sample pack contains one 4 ounce bottle of all 20 colors and 4 additional bottles of Reducer. This kit is ideal for making sample boards or testing the various colors and reduction levels. Because HYDRA-STONE Dye Stain is flammable, this kit must ship via truck.		
HYDRA-STONE™ Reducer:	1 gal. bottles	HS - Reducer
Although HYDRA-STONE™ Dye Stain can be used full strength, it can also be diluted to achieve and endless amount of colors. Dilution is accomplished with HYDRA-STONE™ Reducer. DO NOT DILUTE with acetone, lacquer thinner, alcohol or other solvent.	4, 1 gal. bottles per case	
acquer unities, alcohol of other solvent.	5 gal. pails	
	36, 5 gal. pails per pallet	
CLEAN-PRINT™ Liquid Release Agent:	5 gal. pails	LRA
An alternative to powdered release agents eliminating the mess and difficulty of use. Designed for ease of release of concrete and cementitious overlays from stamps and forms. 100% evaporating formula which leaves a very crisp impression. Sweet "bubble gum" scent.	36, 5 gal. pails per pallet	
Advantages: Virtually no mess when compared to powered release agents. Decreases down time – The surface can be colored simply once evaporated, which is normally less than 4 to 6 hours.		
NOT mineral spirits based like other liquid release products that destroy stamps and forms.		



1061 Transport Drive, Valparaiso, IN 46383 Toll Free 888.323.4445 ◆ P 219.465.7671 F 219.531.0898 • www.elite

	F 219.531.0898 ●	www.elitecrete.com
PORTION CONTROL COLORANT™ (PCC): A ready to use, liquid colorant designed for pigmenting TEXTURE-PAVE™, THIN-FINISH™ and MICRO-FINISH™ Pre-Mixed Overlays as well as ULTRA-STONE™ Antiquing Stain - Neutral. PCC consists of 10 primary	1 quart bottles 9, 1 quart bottles per case	PCC
colors, which easily create 30 colors. Each bottle contains a built in measuring cylinder for precise coloring every time as well as instructions.	bottles per case	
Advantages: No need for mixing and matching various colors. Consistent & Error Proof – Each container will measure the needed amount as well as siphon any excess		
 Versatile – Only 10 different colors easily create over 30 different colors. Extremely concentrated compared to conventional "oxide" based liquid colorants. 		
SYNTHETIC PRIMARY PIGMENT™ (SYPP):	1 quart bottles	SYPP
An extremely concentrated synthetic (non-oxide based) pigment for coloring polymer modified overlays, neutral base stains and conventional concrete Available in Red, Blue, Black, Yellow, White & Green	9, 1 quart bottles per case	
	1 gal. bottles	
	4, 1 gal. bottles per case	
PROTEC-ALL™ Polyurethane Finish	1 gal. bottle	PTC-PU
	4, 1 gal. bottles per base	
E100-PT4™ Colored Epoxy Coating:	1 gal. kit	E100-PT4
A colored epoxy to be used as either a primer coat or a top coat for commercial and industrial surfaces. Cures down to 40°F. Tack free in 8 to 12 hours. Available in 12 different colors. Coverage of 150 ft² to 200 ft² per gallon. 100% VOC Free. Available in 10 colors; Light Gray, Concrete Gray, Medium Gray, Dark Gray, Tan, Beige, Brown, Blue, Brick Red & Green.	5 gal. kit	
Advantages:		
 No need for a primer to achieve optimum bond. True 100% solids without fillers. Unsurpassed durability compared to cheaper epoxies. 		
E100-UV1™ Clear Epoxy Coating:	1 gal. kit	E100-UV1
A clear, UV resistant epoxy to be used as either a primer coat or a top coat for commercial and industrial surfaces. Cures down to 40°F. Tack free in 8 to 12 hours. Does not amber with film build. Coverage of 125 ft 2 to	5 gal. kit	
200 ft ² per gallon. 100% VOC Free.	15 gal. kit	
Advantages: No need for a primer to achieve optimum bond. True 100% solids without fillers. Unsurpassed durability compared to cheaper epoxies. Increased UV resistance.		
Increase abrasion resistance.		
AUS-50™: Aliphatic Urethane Sealer – GLOSS or SATIN	1 gal. can	AUS-G
A 50% solid, clear, single component, urethane sealer. Gloss or Satin finish. Extremely high abrasion resistance and chemical resistance.	5 gal. pail	AUS-S
Advantages: Single component means there is no need for messy mixing and measuring of two components.	36, 5 gal. pails per pallet	
Extremely high abrasion resistance compared to other sealers.		



1061 Transport Drive, Valparaiso, IN 46383
Toll Free 888.323.4445 ● P 219.465.7671
F 219 531 0898 ● www.elitecrete.com

	F 219.531.0898 •	www.elitecrete.com
SPARTIC-ALL™ RM - Polyaspartic Coating	1 gal. kit	SA-RM
An extremely high solids, clear protective coating based on the popular polyaspartic ester technology. No protective coating is stronger or more resistant to wear.	3 gal. kit	
Advantages: Cost savings verses 90% solid version. Easier to apply as compared to the 90% solids version. Dry and recoat time in 2 to 3 hours. Vinyl flake and colored quartz applications can be completed in less than one day.	5 gal. kit 15 gal. kit	
 Decreased downtime for your customers. Can be pigmented to your desired color eliminating ordering or stocking of colors. Surface can be opened to foot or vehicular traffic the next day. 		
QUICK-CRACK™ Repair Filler:	1 gal. kit	QC-RF
Unlike any other crack repair filler available. Dries in less than 1 hour and cured in 2 to 3 hours. Harder and stronger than epoxy based crack fillers. No more waiting and waiting for cured hardness.		
E100-VB6 Epoxy Vapor Barrier:	4 gal. kit	E100-VB6
An epoxy to be used as a primer on concrete surfaces that may have vapor emission or hydrostatic pressure problems. Tack free in 8-10 hours. Coverage of 150 ft² to 200 ft² per gallon. 100% VOC Free.	5 gal. kit	
* 4 gal. kit only ships via freight carrier due to shipping damage via UPS.		
COLOR-FAST™ CH – Broadcast Color Hardener	60 lbs. in 5 gal pail or bag	CF-CH
A professional grade, ready to use, powdered, pre-colored hardener engineered and formulated to be easily applied to freshly placed concrete.	36, 5 gal. pails per pallet	
 Advantages: Available in 24 stock colors. Available in either bags or pails with the bags being less expensive to save money. Rounded and graded silica quartz technology ensures maximum durability, ease of use compared to other color hardeners. Color is derived from synthetic based powdered pigments to ensure increased color stability and consistency. Extremely competitively priced compared to other color hardeners. 	56 bags per pallet	
COLOR-FAST™ RA – Broadcast Powdered Release Agent	30 lbs. in 5 gal.	CF-RA
A professional grade, powdered, colored bond breaking release for use when imprinting and stamping concrete to create a unique color and antique effect.	pail or bag 36, 5 gal. pails per pallet	
Advantages: Available in 24 stock colors. Available in either bags or pails with the bags being less expensive to save money. Greatly increased sterate coating to provide increased releasing properties compared to other powdered release agents. Color derived from synthetic based powdered pigments to ensure increased color stability and consistency. Extremely competitively prices compared to other powdered release agents.	56 bags per pallet	
REFLECTOR™ Enhancer:	Powder in 8	RFR
An ultra finely ground non-metallic, non-mica powder additive for clear coatings. Can be used to create an opaque or translucent finish. Available in 18 distinctive colors: Blue, Blush, Brass, Cairo, Charcoal, Copper, ECS Blue, Green, Gunmetal, Moss, Orange Gold, Red Purple, Rialto, Russet, Silver, Sky Blue, Turquoise and Violet	fluid ounce jar	
Some colors may not exhibit the color until it is blended with the clear coating vehicle. Expect color variations depending on the chosen clear coating vehicle. Always prepare sample before using on a job.		
REFLECTOR™ Enhancer Samples	Powder in 2 fluid ounce jar	RFR Sample
Sold in individual samples, not as a kit.	naid carioc jui	



1061 Transport Drive, Valparaiso, IN 46383 Toll Free 888.323.4445 ◆ P 219.465.7671 F 219.531.0898 • www.elite

	F 219.531.0898 •	www.elitecrete.com
Stamp Conditioner:	1 gal. bottle	SC
An absolute must for cleaning, caring and maintaining your THIN-PRINT™ Seamless Texture Skins and Stamps.	4, 1 gal. bottles per case	
Powdered Accelerator:	45 lbs. in 5 gal.	PA
A compatible, powdered accelerator for cementitious mixes. Does not contain calcium chloride which will cause alkali and efflorescence problems on polymer modified cement.	36, 5 gal. pails per pallet	
CPR 1000 ² Polymer Emulsion:	5 gal. pail	CPR1000
A hybrid (multiple resin blend), 57% solid, concentrated cement polymer modifier that provides much improved performance characteristics and versatility over ordinary acrylic modifiers or co-polymers. Ideal for deep patches and regrade applications.	36, 5 gal. pails per pallet	
Advantages:	55 gal. drum	
 Extreme versatility compared to any other polymer modifiers. Packaged as a concentrate and therefore must be diluted prior to use. 	4, 55 gal. drums per pallet	
Marketing Materials & Apparel:		
PB20 – NEW 8 Page Booklet/Brochure – 2008 Version	Pack of 100	PB20
This brochure is designed with the contractor in mind. You wont find Elite Crete Systems contact information on it anywhere. Shows a nice collection of interior and exterior commercial and residential work. The back cover has a place to either tape a business card, apply a sticker or use a rubber stamp to add your contact information. For \$0.42 cents, it is a great sales tool.		
SS6 – Thin Stamped Overlay Sell Sheet	Pack of 250	SS6
This is single sell sheet with photos of thin stamped overlays on the front and back with photos of the available THIN-PRINT™ stamps and texture skins.		
SS7 – Interior Flooring Sell Sheet	Pack of 250	SS7
This is a single sell sheet with photos of interior flooring samples on the front and back. SS8 – Splatter Texture Sell Sheet		
This is a single sell sheet with photos of splatter textures and knockdown finishes on the front and back with photos of the available QUICK-PATTERN™ stencils.	Pack of 250	SS8
SS9 - CHEM-STONE Sell Sheet	Pack of 250	SS9
This is a single sell sheet with photos of various acid stained jobs on the front and back. This also includes the color chart for CHEM-STONE™ Reactive Stain on white and gray samples.	1 ack 01 230	000
SS11 – E100PT Series Sell Sheet This is a single sell sheet with photos of epoxy job applications on the front and back. This also includes the color chart for the E100-PT and UV series epoxies.	Pack of 250	SS11
PORTION CONTROL COLORANT™ Charts	Pack of 10	PCC-Chart
COLOR-FAST™ Charts	Pack of 10	CF-Chart
PC5 – Post Card Mailer – Contractor Designed to be able to custom print your contact information on using any office printer. Email us for a Microsoft	Pack of 250 Case of 1,800	PC5
Word template. PC7 – Training Seminar Postcard – FOR AUTHORIZED DISTRIBUTORS ONLY	n/a	
Designed to be able to custom print your contact information on using any office printer. Email us for a Microsoft	il/a	PC7
Word template. Elite Crete Systems Imaging Software This software allows users to take a photo of any surface and add hundreds of patterns, colors or textures to show their customers what their surface would look like of Elite Crete Systems was applied. A must for any contractor.	1 each	ADVER-CD



1061 Transport Drive, Valparaiso, IN 46383 Toll Free 888.323.4445 ◆ P 219.465.7671

	F 219.531.0898 • ww	
Updated Product Information Binder on CD Rom	1 each	PIB-CD
PIB – Updated Product Information Binder	1 each	PIB
PIF – Updated Product Information Folder	1 each	PIF
Elite Crete Systems Tee Shirt – M, L, XL, 2XL – Black or White	1 each	Tee
Elite Crete Systems Nike (polo type) Shirt – M, L, XL, 2XL – Black or Blue	1 each	Polo
Elite Crete Systems Cap – Black, Blue or White	1 each	Hat
Window/Auto Decal: LOGO – Blue, Black, Yellow or White	1 each	Decal 1
Bumper Decal: EYES – Black, White	1 each	Decal 2
Customizable Yard Sign – 2 sided. Includes the wire stand.	1 each	SIGN
Specialty Tools:		
Ultimate Squeegee: 36" Wide Not any ordinary squeegee. Designed specifically for applying cementitious overlays. A must for larger projects.	1 each	US-36
Gauge Rake – Cam: 24" Wide Designed for applying TEXTURE-PAVE™ at a specific thickness. A must for installing thin stamped overlays.	1 each	GR-C
Marshalltown Sharpshooter Hopper Gun:	1 each	HG
Magic Trowel: Soft handled squeegee for detailing and creating smooth finishes. Perfect for smaller jobs. Ideal for skim/base coats, knocking down splatter textures and a must for removing gauge rake lines when applying thin stamped overlays. Available in 12", 18" and 22" sizes.	1 each	MT12 MT18 MT22
MIXER 5 pc. Set – Set contains 4 various sized plunger mixers and one folding "T" mixer. A must for contractors. The cementitious mixer does not "whip" material out of the mixing bucket and the "T" mixer is ideal for mixing sealers.	1 each	MIXER
1/4" Design Tape – PLAIN 1/2" Design Tape – PLAIN 3/4" Design Tape – PLAIN 1/2" Design Tape – PLAIN 1/2" Design Tape – BRICK marks every 4" 1/2" Design Tape – BRICK marks every 4" 1/2" Design Tape – BRICK marks every 4"	1 each	DT1/4P DT1/2P DT3/4P DT1.5P DT1/4B DT1/2B
QUICK-PATTERN™ Design Stencils: With the arrival of QUICK-PATTERN™ 2.0 coming Summer of 2009, these stencils will be discontinued towards the end of 2009 and discounts have been applied. Phone ahead to ensure the pattern you need is currently available.		
QP-401: RANDOM STONE - 1,000 sq. ft.	1 each	QP-401
QP-403: ASHLAR SLATE - 1,000 sq. ft.	1 each	QP-403
QP-404: COBBLESTONE - 1,000 sq. ft.	1 each	QP-404
QP-405: FLANDERS WEAVE - 1,000 sq. ft.	1 each	QP-405
QP-406: BASKET WEAVE - 1,000 sq. ft.	1 each	QP-406
QP-408: KEYSTONE - 1,000 sq. ft.	1 each	QP-408
QP-409: SPANISH TILE - 1,000 sq. ft.	1 each	QP-409
QP-420: CIRCLE COBBLESTONE INLAY	1 each	QP-420
QP-421: DIAMOND TILE INLAY	1 each	QP-421
QP-422: STAR COMPASS INLAY	1 each	QP-422
QP-427: COBBLESTONE BORDER - 150 lineal ft.	1 each	QP-427
QP-428: KEYSTONE BORDER - 150 lineal ft.	1 each	QP-428
QP-429: ITALIAN TILE BORDER - 150 lineal ft.	1 each	QP-429
THIN-PRINT™ Stamp Tools: These stamp tools are specifically designed for thin stamped overlays to ensure excellent impression at a minimal application thickness.		
TP-511: OLD GRANITE SEAMLESS - TEXTURE SKIN 38"x38"	1 each	TP-511
TP-512: OLD GRANITE SEAMLESS - TOUCH-UP SKIN 22"x22"	1 each	TP-512
TP-513: ITALIAN SLATE SEAMLESS - TEXTURE SKIN 38"x38"	1 each	TP-513
TP-514: ITALIAN SLATE SEAMLESS - TOUCH-UP SKIN 22"x22"	1 each	TP-514
TP-515: ROMAN SLATE SEAMLESS - TEXTURE SKIN 38"x38"	1 each	TP-515
TP-516: ROMAN SLATE SEAMLESS - TOUCH-UP SKIN 22"x22"	1 each	TP-516
TP-519: SANDSTONE SEAMLESS - TEXTURE SKIN 38"x38"	1 each	TP-519
TP-520: SANDSTONE SEAMLESS - TOUCH-UP SKIN 22"x22"	1 each	TP-520
		TP-523



1061 Transport Drive, Valparaiso, IN 46383 Toll Free 888.323.4445 ● P 219.465.7671 F 219.531.0898 • www.elitecrete.com

	1 213.331.0030 •	www.entecrete.com
TP-524: COQUINA W/ SEASHELLS SEAMLESS - TOUCH-UP SKIN 22"x22"	1 each	TP-524
TP-529: EUROPEAN FAN 25"x38"	1 each	TP-529
TP-533: ASHLAR SLATE – A, B or C 25"x25"	1 each	TP-533
TP-537: BRICK HERRINGBONE 25"x35"	1 each	TP-537
TP-541: BRICK SOLDIER COARSE (designed for borders) 8"x35"	1 each	TP-541
TP-545: BRICK BASKETWEAVE 20"x35"	1 each	TP-545
TP-549: BRICK RUNNING BOND 16"x35"	1 each	TP-549
TP-553: OLD COBBLESTONE 18"x32"	1 each	TP-553
TP-559: HERRINGBONE SLATE 24"x36"	1 each	TP-559
TP-563: RANDOM SANDSTONE 30"x30"	1 each	TP-563
TP-567: RANDOM CANYON STONE 30"x30"	1 each	TP-567
TP-571: SANDSTONE TILE – 12" x 12" Tiles 24"x36"	1 each	TP-571
TP-575: ROMAN SLATE TILE – 18" x 18" Tiles 18"x36"	1 each	TP-575

For detailed product information, technical data and material safey data sheets, please visit www.elitecrete.com or call our sales and technical office.